



# Release 175 Graphics Drivers ***Release Notes***

**Version 175.16**  
for Windows XP

---

**NVIDIA Corporation**  
**May 6, 2008**

Published by  
NVIDIA Corporation  
2701 San Tomas Expressway  
Santa Clara, CA 95050

## **Notice**

ALL NVIDIA DESIGN SPECIFICATIONS, REFERENCE BOARDS, FILES, DRAWINGS, DIAGNOSTICS, LISTS, AND OTHER DOCUMENTS (TOGETHER AND SEPARATELY, "MATERIALS") ARE BEING PROVIDED "AS IS." NVIDIA MAKES NO WARRANTIES, EXPRESSED, IMPLIED, STATUTORY, OR OTHERWISE WITH RESPECT TO THE MATERIALS, AND EXPRESSLY DISCLAIMS ALL IMPLIED WARRANTIES OF NONINFRINGEMENT, MERCHANTABILITY, AND FITNESS FOR A PARTICULAR PURPOSE.

Information furnished is believed to be accurate and reliable. However, NVIDIA Corporation assumes no responsibility for the consequences of use of such information or for any infringement of patents or other rights of third parties that may result from its use. No license is granted by implication or otherwise under any patent or patent rights of NVIDIA Corporation. Specifications mentioned in this publication are subject to change without notice. This publication supersedes and replaces all information previously supplied. NVIDIA Corporation products are not authorized for use as critical components in life support devices or systems without express written approval of NVIDIA Corporation.

## **Trademarks**

NVIDIA, the NVIDIA logo, 3DFX, 3DFX INTERACTIVE, the 3dfx Logo, STB, STB Systems and Design, the STB Logo, the StarBox Logo, NVIDIA nForce, GeForce, NVIDIA Quadro, NVDVD, NVIDIA Personal Cinema, NVIDIA Soundstorm, Vanta, TNT2, TNT, RIVA, RIVA TNT, VOODOO, VOODOO GRAPHICS, WAVEBAY, Accuviv Antialiasing, the Audio & Nth Superscript Design Logo, CineFX, the Communications & Nth Superscript Design Logo, Detonator, Digital Vibrance Control, DualNet, FlowFX, ForceWare, GIGADUDE, Glide, GOFORCE, the Graphics & Nth Superscript Design Logo, Intellisample, M-BUFFER, nfiniteFX, NV, NVChess, nView, NVKeystone, NVOptimizer, NVPinball, NVRotate, NVSensor, NVSync, the Platform & Nth Superscript Design Logo, PowerMizer, Quincunx Antialiasing, Sceneshare, See What You've Been Missing, StreamThru, SuperStability, T-BUFFER, The Way It's Meant to be Played Logo, TwinBank, TwinView and the Video & Nth Superscript Design Logo are registered trademarks or trademarks of NVIDIA Corporation in the United States and/or other countries. Other company and product names may be trademarks or registered trademarks of the respective owners with which they are associated.

Intel, Indeo, and Pentium are registered trademarks of Intel Corporation. Microsoft, Windows, Windows NT, Windows Vista, Direct3D, DirectDraw, and DirectX are trademarks or registered trademarks of Microsoft Corporation. OpenGL is a registered trademark of Silicon Graphics Inc. PCI Express, PCI-SIG, and the PCI-SIG design marks are registered trademarks and/or service marks of PCI-SIG. DisplayPort is a trademark of the Video Electronics Standards Association (VESA).

Other company and product names may be trademarks or registered trademarks of the respective owners with which they are associated.

## **Copyright**

© 2008 by NVIDIA Corporation. All rights reserved.

# Table of Contents

## 1. Introduction to *Release Notes*

Structure of the Document . . . . .	1
Changes in this Edition . . . . .	1

## 2. Changes in the Release 175 Driver for Windows XP

Version 175.16 Highlights . . . . .	4
What's New in Release 175 . . . . .	4
What's New in Version 175.16 . . . . .	4
Changes in Version 175.16 . . . . .	5
Fixed Issues—Windows XP 32-bit . . . . .	5
Fixed Issues—Windows XP 64-bit . . . . .	6
Open Windows XP Issues in Version 175.16 . . . . .	7
NVIDIA Recommendations. . . . .	7
Windows XP 32-bit Issues . . . . .	7
Windows XP 64-bit Issues . . . . .	10
Not NVIDIA Issues . . . . .	11
Application Issues . . . . .	11
Not NVIDIA Issues—SLI Mode . . . . .	19
Known Product Limitations . . . . .	23
Full-screen Video Mirror not Supported on GeForce 8 Series and Later GPUs . . . . .	24
GeForce 6 and 7 Series Cards Cannot Output Interlaced Signals in SLI Mode . . . . .	24
Image Sharpening Control not Available with GeForce 8 Series and Later GPUs . . . . .	24
Display Output Selection not Available on “Bridgeless” SLI . . . . .	24
DirectX Fails When Detaching/Reattaching Displays in Dualview Mode . . . . .	25
OpenGL Viewport Scaling Problem in Horizontal Span Mode . . . . .	25
Video Playback in nView Clone and Span Modes . . . . .	25
No Antialiasing of 3DMark03 Image Quality Screen Captures . . . . .	26
Medal of Honor Under Windows XP / Windows 2000 . . . . .	26
Windows XP/2000 Issue with Settings Tab Monitor Positioning . . . . .	27
Antialiasing Problems With Certain Applications . . . . .	27
Poor Quality S-Video Output on Some TVs . . . . .	28
AGP and PCI-E Programs May Hang With AMD K7 and K8 Processors . . . . .	28

Desktop Manager Does Not Re-Center Logon Screen . . . . .	29
Issues with Video Mirror—Windows XP/2000 . . . . .	29

## 3. The Release 175 Driver for Windows XP

Hardware and Software Support . . . . .	31
Supported Operating Systems. . . . .	31
Supported NVIDIA Products. . . . .	32
Supported Languages . . . . .	35
Driver Installation . . . . .	36
System Requirements . . . . .	36
Installation Instructions . . . . .	36
NVIDIA Driver History. . . . .	39

## A. Mode Support for Windows

General Mode Support Information . . . . .	42
Default Modes Supported by GPU for Windows XP . . . . .	43
Understanding the Mode Format . . . . .	43
GeForce 9 Series, GeForce 8 Series, GeForce 7 Series, GeForce 6 Series, and GeForce FX Family GPUs . . . . .	44
GeForce 8300/8200/8100 GPUs . . . . .	52
nForce 630a GPUs . . . . .	56
Modes Supported by TV Encoders . . . . .	62



# **Table of Contents**



## CHAPTER

## 1

# INTRODUCTION TO *RELEASE NOTES*

This edition of *Release Notes* describes the Release 175 ForceWare Graphics Drivers for Microsoft® Windows® Vista. NVIDIA provides these notes to describe performance improvements and bug fixes in each documented version of the driver.

## Structure of the Document

---

This document is organized in the following sections:

- [“Changes in the Release 175 Driver for Windows XP” on page 3](#) gives a summary of changes, and fixed and open issues in this version.
- [“The Release 175 Driver for Windows XP” on page 31](#) describes the NVIDIA products and languages supported by this driver, the system requirements, and how to install the driver.
- [“Mode Support for Windows” on page 41](#) lists the default resolutions supported by the driver.

## Changes in this Edition

---

This edition of the *Release Notes* for Windows XP includes information about NVIDIA ForceWare graphics driver version 175.16, and lists changes made to the driver since version 174.74. These changes are discussed beginning with the chapter [“Changes in the Release 175 Driver for Windows XP” on page 3](#).



## CHAPTER

## 2

# CHANGES IN THE RELEASE 175 DRIVER FOR WINDOWS XP

This chapter describes open issues for version 175.16, and resolved issues and driver enhancements for versions of the Release 175 driver up to version 175.16. The chapter contains these sections:

- “Version 175.16 Highlights” on page 4
- “Open Windows XP Issues in Version 175.16” on page 7
- “Changes in Version 175.16” on page 5
- “Not NVIDIA Issues” on page 11
- “Known Product Limitations” on page 23

## Version 175.16 Highlights

---

This section provides highlights of version 175.16 of the NVIDIA Release 175 Driver.

- [What's New in Release 175](#)
- [What's New in Version 175.16](#)

### What's New in Release 175

---

- Added product support for the following NVIDIA products:
  - GeForce 9800 GX2
  - GeForce 9800 GTX
  - GeForce 9600 GT
  - GeForce 9600 GSO
  - GeForce 8300
  - GeForce 8200/NVIDIA nForce 730a
  - GeForce 8100/NVIDIA nForce 720a
- Added the following new Pure Video HD features for the GeForce 9800 GX2, 9800 GTX, 9600 GT, and 9600 GSO:
  - Dynamic Contrast Enhancement
  - Dynamic Blue, Green & Skin Tone Enhancements
  - Dual-Stream Decode Acceleration<sup>1</sup>
- NVIDIA Control Panel *Adjust Video Color Settings* page: Moved the Edge Enhancement, Noise Reduction, and Inverse Telecine controls to the new *Adjust Video Image Settings* page.

### What's New in Version 175.16

---

- Added support for the GeForce 9600 GSO.
- Added support for the GeForce 9800 GTX.
- See [“Changes in Version 175.16” on page 5](#) for a list of resolved issues.

1. Users will require updated software from third-party movie players to experience the new Dual-Stream decode acceleration.

## Changes in Version 175.16

---

The following sections list the changes made and issues resolved since driver versions 174.4.

- “Fixed Issues–Windows XP 32-bit” on page 5
- “Fixed Issues–Windows XP 64-bit” on page 6

The NVIDIA bug number is provided for reference.

### Fixed Issues–Windows XP 32-bit

---

#### Fixed Single-GPU Issues

##### GeForce 9 Series GPUs

- GeForce 9800 GTX: With HDMI connected and enabled, the Resize HDTV Desktop option is missing from the NVIDIA Control Panel Change Resolution page. [400144]
- GeForce 9600 GT: With TV connected in Dualview mode, the "Adjust video color settings" page and "Adjust Television color settings" contrast and saturation setting values go to zero when switching back to Dualview mode from DVI single-display mode. [388313]

##### GeForce 8 Series GPUs

- GeForce 8800 GTS: The NVIDIA Control Panel Run Television Setup wizard crashes with HD-DVI connected. [404180]
- GeForce 8600: Tiger Woods PGA Tour 2007–the game hangs with the default game settings during the loading screen. [333405]
- GeForce 8100/NVIDIA nForce 720a: There is desktop corruption when moving the CRT screen position. [399838]

##### GeForce 7 Series GPUs

- GeForce 7300 GT: Lego Star Wars 2 - the application crashes after going to the game menu video options. [369638]

### NVIDIA Issues—SLI Mode

##### GeForce 8 Series GPUs

- [SLI], GeForce 8800-Ultra: Sid Meier's Railroads! - the system crashes when in-game antialiasing is switched between '8x' and 'none' at 1024x768 resolution. [373945]

- [SLI], GeForce 8300/840/8500: Multiple games - tearing occurs after enabling V-Sync either from the game controls or through the NVIDIA Control Panel. [400888]

### **GeForce 7 Series GPUs**

- [SLI], GeForce 7950 GX2 Quad NVIDIA SLI: Black and White 2—there is flickering and water corruption. [242484/239460]

## **Fixed Issues—Windows XP 64-bit**

---

### **NVIDIA Issues—Single GPU**

- GeForce 8800: Portal - the main menu appears corrupt after launching the game with default settings. [399317]

### **NVIDIA Issues—SLI Mode**

- [SLI], GeForce 8300/840/8500: Multiple games - tearing occurs after enabling V-Sync either from the game controls or through the NVIDIA Control Panel. [400888]

## Open Windows XP Issues in Version 175.16

---

As with every released driver, version 175.16 has open issues and enhancement requests associated with it. This section includes lists of issues that are either not fixed or not implemented in this version. Some problems listed may not have been thoroughly investigated and, in fact, may not be NVIDIA issues. Others may have workaround solutions.

- [“NVIDIA Recommendations” on page 7](#)
- [“Windows XP 32-bit Issues” on page 7](#)
- [“Windows XP 64-bit Issues” on page 10](#)

### NVIDIA Recommendations

---

- Single display modes such as TV only, DFP/LCD only or CRT only provide the best performance and quality from Windows Media Center Edition.

*Dual display modes such as Dualview and nView Clone and Span modes are not recommended.*

### Windows XP 32-bit Issues

---

#### All GPUs

- Counter Strike—the application crashes to the desktop if the resolution or bit-depth is changed from the in-game video options menu.

*The problem does not occur if you change the resolution or bit-depth from the game’s main menu and not while in a game.*

#### GeForce 8 Series GPUs

- GeForce 8 Series, GeForce 6600: HQV DVD shows corruption when played using Windows Media Player.[302235]
- GeForce 8800: The desktop color becomes dark after switching displays in multi-display mode. [353737]
- GeForce 8800 GTX: Blue-screen crash occurs when changing resolutions while Direct3D, OpenGL, and video applications are open at the same time.[262074]
- GeForce 8800 GTX: Counter Strike - the game fails to run in windowed mode with resolutions higher than 1280x1024. [403638]
- GeForce 8800 GTX: Half-Life 2 Episode 1—purple textures appear with 16xQ CSAA enabled at 2560x1600 resolution.[302602]

- GeForce 8600 GT: Call of Duty 2—the game crashes under the following settings: in-game settings of 1920x1200 resolution and 2x antialiasing, NVIDIA Control Panel enhanced antialiasing mode set to 16xQ. [312949]
- GeForce 8600: Serious Sam 2—performance drop at 1280x1024 with HDR and antialiasing enabled. [340691]
- GeForce 8300/8400/8500: Sid Meier's Railroads!—tearing occurs at the default settings. [354200]

## GeForce 7 Series GPUs

- GeForce 7 Series: 709 color space is not present during playback of Blu-ray discs or HD DVDs.[263124]
- GeForce 7950 GX2, GeForce 7600 GT, NVIDIA Control Panel: When starting playback of a Blue-ray disc or HD DVD while the Adjust Video Color Settings page is open, the 'Incompatible graphics driver' warning message appears.[261644]
- GeForce 7800 GTX, Windows XP: Need for Speed Underground 2—when changing to a resolution higher than 1024x768 on a 1920x1200 widescreen flat panel, the game attempts to select the next higher resolution, which is 1280x960 and not supported by most flat panels.[171938]

*A known workaround is to manually add the mode 1280x960 from NVIDIA's Custom Timings control panel and then continue to select the resolution needed.*

- GeForce 7600 GT: "The Battle Of The Middle Earth II"—corruption occurs when loading the game.[261274]
- GeForce 7600 GT, NVIDIA Control Panel: Desktop Color settings are getting applied even after clicking **Cancel**.[261019]
- GeForce 7600 GT, Dual-link display: When playing a Blu-ray disc at resolutions greater than 1280x800 on a dual-link display, the Cyberlink warning message erroneously appears saying to reduce the resolution to less than 1920x1080.[260489]
- GeForce 7300 GT: Test Drive Unlimited—blue-screen crash occurs while changing antialiasing settings in the game. [317480]
- GeForce 7300 GT: Command & Conquer 3 Tiberium Wars—some object are not rendered when using the high graphics setting. [316633]
- GeForce 7300 GS: Lost Planet : Extreme Condition—color corruption appears after launching with the default settings. [359015]
- 2xGeForce 7300 GS: The NVIDIA Control Panel provides TV as a display option even if a TV is not connected. [355144]

## GeForce 6 Series GPUs

- GeForce 8 Series, GeForce 6600: HQV DVD shows corruption when played using Windows Media Player.[302235]
- GeForce 6800 256MB: Counter-Strike–text in the in-game control panel is corrupt when NVIDIA Control Panel antialiasing settings are enabled.[247877]
- GeForce 6600: TV signal formats based on country cannot be set from the NVIDIA Control Panel->Change signal or HD format page. [373501]
- GeForce 6200 128MB: The Television Setup wizard erroneously lets you change the display mode while playing a video file.[209367]

## NVIDIA Issues—SLI Mode

### All GPUs

- [SLI], The NVIDIA Control Panel prompts you to reboot the system after enabling SLI while in Dualview mode.[220320]
- [SLI]: Far Cry–flickering and shifting sky occurs in the Research level when SLI is enabled. [265091]

*This issue does not occur with V-Sync enabled.*

### GeForce 9 Series GPUs

- [SLI], GeForce 9 Series, Geforce 8 Series: There is no display after switching the SLI display to the slave GPU. [357511]

### GeForce 8 Series GPUs

- [SLI], GeForce 8600 GT: The NVIDIA logo in the Adjust Image Settings with Preview page does not rotate and shows corruption after switching to the display connected to the SLI slave GPU. [402589]
- [SLI], GeForce 8600: 3DMark06–the benchmark crashes to the desktop when run at 1600x1200 resolution and with 8x antialiasing enabled. [324430]
- [SLI], GeForce 8600: Splinter Cell Double Agent–the game crashes to desktop at 1600x1200 resolution and with 32xQ SLIAA enabled.[306223]
- [SLI], GeForce 8600: Half Life 2–white patches appear in the sky when 8xAA is enabled from the NVIDIA Control Panel (Enhanced mode) in conjunction with 2xMSAA enabled from the game control panel.[306259]
- [SLI], GeForce 8600 GT: Battlefield 2–there is texture corruption on the wall in "Gulf Of Oman" map. [350931]

- [SLI], GeForce 8300/8400/8500/8600: Blue-screen crash occurs when using the Set SLI Output control to switch from a display on the SLI master GPU to a display on the SLI slave GPU.

*This occurs with “bridgeless” SLI configurations. When there is no SLI bridge connector, you can use only the displays connected to the SLI master GPU.*

### **GeForce 7 Series GPUs**

- [SLI], GeForce 7 and 6 Series, Quad NVIDIA SLI: Tomb Raider—with SLI mode enabled, there is stuttering and banding corruption.[226727]

### **GeForce 6 Series GPUs**

- [SLI], GeForce 6600 w/TurboCache: The driver is unable to be installed with this hardware setup.[325700]

## **Windows XP 64-bit Issues**

---

### **NVIDIA Issues—Single GPU**

- GeForce 8600: Serious Sam 2—performance drop at 1280x1024 with HDR and antialiasing enabled. [340691]

## Not NVIDIA Issues

---

This section lists issues that are not due to the NVIDIA driver.

- [“Application Issues” on page 11](#)

### Application Issues

---

#### All GPUs

- Dual Core CPU: Counter Strike 1.6 hangs if you play Cheating Death 4.33.4 at same time.

*This application does not properly recognize dual-core CPUs.*

- Counter-Strike Source frame rate is jumpy.

*Jittery/lagging movement has been seen when starting a game after running the Video Stress Test.*

*Smooth movement is restored after exiting and then restarting the application. The issue does not appear when creating a new game, disconnecting, and then creating another new game.*

- HQV DVD playback is bobbing when running in overlay mode.[272289]

*This is not an NVIDIA bug, but rather an issue with the Intervideo decoder in WinDVD 8.*

- During DVD and HD DVD/Blu-ray playback, a white screen may appear over video when toggling from windowed to full-screen mode. [263449]

*This issue was reported in driver v96.94 as an NVIDIA driver issue, but now appears to be an application issue with PowerDVD. NVIDIA is working with the application developer to provide a fix.*

- Sims 2–“Smooth Edges (AA)” option is not available with Release 100 drivers.[272477]

*This occurs because of an incorrect driver version check in the application.*

*NVIDIA has worked around this issue in the operating system by changing the way the driver version is reported to this application.*

- Warhammer 40k Dawn of War (all versions) does not run with Release 100 drivers.[273154]

*This occurs because of an incorrect driver version check in the application.*

*NVIDIA has worked around this issue in the operating system by changing the way the driver version is reported to this application.*

- S.T.A.L.K.E.R. Shadow of Chernobyl: This application is not compatible with the *Override any application setting* or *Enhance the application setting* antialiasing modes from the NVIDIA Control Panel Manage 3D Settings page.

*Please use the in-game antialiasing options.*

- Splinter Cell Double Agent crashes when loading a single player game.[270517]

*This is an application issue. You can work around this issue by creating a shortcut to launch the game as follows:*

- 1 Navigate to the game install directory, then change to the sub-folder  
   \`SCDA-Offline\system`.
- 2 Create a shortcut to `splintercell4.exe`.
- 3 Add "-ll" to the command line of the shortcut.
- 4 Use this shortcut to launch the single player version of the game.

- HQV DVD playback is bobbing when running in overlay mode.[272289]

*This is not an NVIDIA bug, but rather an issue with the Intervideo decoder in WinDVD 8.*

- Age of Empires 3: Setting application to 1600x1200 with shader quality set to 'very high' causes menus and game to become corrupted.

*This issue can be fixed by installing the v1.07 game patch.*

- Company of Heroes: Dark transparent band appears when running the in-game performance test.

*This is an application issue and can be reproduced on NVIDIA GeForce 7900 and ATI Radeon X1950 GPUs.*

- Elder Scrolls 4 Oblivion: Running at 2560x1600 with NVIDIA Enhanced Application mode 16xQ, extremely rare 1-2 second pauses occur during some fighting. [262685]

*This appears to be an application issue in how large textures are created during the in-game fighting.*

- Far Cry: Water reflection on Archive level is not correct. [253431]

*This appears to be an application issue. NVIDIA is working with the application developer to try to patch their application*

- Half-Life 2 Lost Coast: Color corruption occurs in the video stress test after changing the display mode.

*This is a known application issue.*

- Half-Life 2 Episode One: Gravity Gun has z-fighting problems on certain portions of the gun. [263505]

- Quake4: Random pauses occur during gameplay. [260029]

*This appears to be an application issue that affects testing on Quake4 with dual-core optimizations turned on. Turning off the SMP value in Quake4 eliminates this problem.*

- During DVD and HD DVD/Blu-ray playback, a white screen may appear over video when toggling from windowed to full-screen mode.[263449]

*This issue was reported in driver v96.94 as an NVIDIA driver issue, but now appears to be an application issue with PowerDVD. NVIDIA is working with the application developer to provide a fix.*

- Age of Empires 3: Vertical sliver appears near the right side of the introduction videos. [221738]

- Battlefield 1942 hangs after playing for a few minutes.[265230]

*This is an application issue with dual-core CPUs.*

## GeForce 8 Series GPUs

- GeForce 8800 GT: EverQuest 2—the introduction video does not display when antialiasing is enabled and the resolution is higher than 1600x1200. [355649]
- GeForce 8800 GTX/GeForce 7900 GTX: Neverwinter Nights 2—the minimap loses its background when the resolution is changed.[273788]
- GeForce 8800 GTX: Tabula Rasa—in-game antialiasing does not work. [353867]
- GeForce 8600: Flight Simulator X—corruption appears after restoring from minimize at the default settings. [354345]
- Half-Life 2 Lost Coast: GeForce 8800 GTX fog looks different than GeForce 7900 GTX fog, and dynamic shadows look solid black. [262215]

*The GeForce 8800 GTX image quality matches the Microsoft Reference Rasterizer. This issue may affect other Half-Life 2 based engines such as Counter-Strike Source and Half-Life Episode 1. NVIDIA is working with the application developer to try to patch their application.*

- GeForce 8500/8400/8300: Video corruption occurs when playing the Blu-ray disc title "Tom Cruise the Last Samurai" in IVI. [321632]

*This is not an NVIDIA bug, but rather an issue with the application.*

- GeForce 8800 GTX: Star Wars: Battlefront 2—there is corruption during the training mission when played at high resolutions. [310721]

*This is not an NVIDIA bug, but rather an issue with the application.*

## GeForce 7 Series GPUs

- GeForce 7950 GT, GeForce 7900 GT/GS, GeForce 7600 GT: Dragging the Cyberlink application between the primary and secondary Dualview displays results in Cyberlink error message.[251639]
- GeForce 7950 GX2-single card: Half-Life 2–screen corruption occurs after exiting from the game. [358059]
- GeForce 7900 256MB: WinDVD video is corrupt when playing a DivX file.  
*This is not an NVIDIA bug, but rather an issue with the application.*
- GeForce 7 and 6 Series: Prey has non-functioning application antialiasing when the desktop color depth is at 16 bpp.  
*This is an application issue and not an NVIDIA bug. Enabling 32-bpp desktop color depth fixes this problem.*
- GeForce 7 Series, GeForce 6 Series GPUs: Textures are not rendered in Age of Empires 3 at 1600x1200 and higher resolutions.  
*This is an issue with the application.*
- GeForce 7950 GX2, Quad NVIDIA SLI: World of Warcraft–Changing antialiasing modes in the NVIDIA control panel does not improve image quality.  
*This is not a bug, but an issue with the application’s “Glow” effect. When the Glow effect is enabled, the NVIDIA Control Panel antialiasing settings do not work. Please use in-game antialiasing.*
- GeForce 7950 GX2, NVIDIA Control Panel: The Overclocking Configuration - Test button does not appear to have any effect.  
*This is not a bug. The test is being performed, but there is no visual indicator.*
- GeForce 7950 GX2: The Age of Empires introduction video has a vertical sliver on the right side.  
*This is not an NVIDIA bug, but rather an issue with the application.*
- GeForce 7800 GTX 512 MB: Windows Media Player 10 crashes after playing a DVD for a few minutes.  
*This is not an NVIDIA bug, but rather an issue with the application.*
- GeForce 7800 GTX/GT: The Chronicles of Riddick does not render correctly at 2560x1600 on the Apple 30" Cinema display.  
*This is an issue with the application.*
- GeForce 7800 GTX, Windows XP Media Center Edition 2005 Update2: When running in window mode, there is tearing in the video on the top of the screen when playing MPEG-2 high definition clips on HDTV output.

*This is an application issue with Media Center and does not occur if you run Media Center in full-screen mode.*

- GeForce 7800 GTX/GT: Transparency antialiasing does not work with Grand Theft Auto San Andreas.

*The driver does not apply Transparency antialiasing to triangles that are alpha-blended. Applications with alpha blending do not benefit from Transparency antialiasing.*

- GeForce 7800 GT/GTX: Graphics are corrupted at the title screen in Age of Empires 3.

*This is not an NVIDIA bug, but an issue with the application.*

- GeForce 7800 GT/GTX: F.E.A.R. Demo has blocky explosion effects.

*This is not an NVIDIA bug, but an issue with the application.*

- GeForce 7800 GTX: Age of Empires 3 demo fails to run when connected to a DVI flat panel.

*This is not an NVIDIA bug, but an issue with the application. Demo versions of the application attempt to set a mode that is not supported on the flat panel. To work around the issue, locate the file newprofile.xml and change the resolution setting to 1024x768.*

*This is fixed in final versions of the game.*

- GeForce 7800 GTX/GT, GeForce 6800: Textures are not rendered in Age of Empires 3 at 1600x1200 and higher resolutions.

*This is not an NVIDIA issue, but rather a bug in the application.*

- GeForce 7800/GeForce 6800 GT: Shadow corruption/soft shadows appear after changing video settings in F.E.A.R.

*This is an issue with the application and is documented as such in the demo's release notes. Disabling antialiasing fixes the soft shadow corruption.*

- GeForce 7800 GTX / GeForce 6 Series: The Chronicles of Riddick: Escape from Butcher Bay does not run under OpenGL.

*This issue is resolved by downloading and installing the game's 1.1 patch available at [http://www.vugames.com/file\\_list.do?gamePlatformId=1839](http://www.vugames.com/file_list.do?gamePlatformId=1839). This problem occurs as a result of the application checking the NVIDIA OpenGL driver for a version 1.5 instead of 2.0.*

- GeForce 7800 GTX, GeForce 6800/6800 Ultra, GeForce 6600 GT: Explosion effects in the game Pariah result in full-screen corruption.

*This is an issue with the application. To work around the issue, set the variable **HasNvidiaTexM32Tex** in the file **pariah.ini** to (1). ((0) is the default.)*

- GeForce 7800 GTX / GeForce 6800 Ultra: Age of Empires 3 demo v1.0 has corruption on the title screen when running at high resolutions (1600x1200) with antialiasing set to Medium or High, Shader Quality set to Very High, and Shadow Quality set to Very High.

*This is an issue with the application.*

## **GeForce 6 Series GPUs**

- GeForce 6600 128MB, Windows XP Media Center Edition 2005: The MCE screen does not appear when switched to full-screen mode.

*This is an issue with the application.*

- GeForce 7 Series, GeForce 6 Series GPUs: Textures are not rendered in Age of Empires 3 at 1600x1200 and higher resolutions.

*This is an issue with the application.*

- GeForce 7800 GT/GTX, GeForce 6800/6800 Ultra/GT: When selecting Detect Optimal Frequencies in the control panel, the desktop refresh rate switches to 60Hz.
- GeForce 7800 GTX/GT, GeForce 6800: Shadows fail to render in Splinter Cell 1.
- GeForce 7800 GTX/GT, GeForce 6800/6600: Ground and water textures are corrupted when zooming out in Civilization 4.
- GeForce 6800 PCI-E: The top of the video tears when watching a transport stream clip in VMR mode with Windows Media Player.
- GeForce 6800: Corruption occurs on certain vehicles in Joint Operations: Typhoon Rising.
- GeForce 6800: Command and Conquer Generals: Zero Hour displays green tint.
- GeForce 6800: Flickering corruption appears around the mouse cursor in Dungeon Siege 2.
- GeForce 6800, Windows XP Media Center Edition: Blue-screen crash occurs when dragging Windows Media Player 10 window from the primary to the secondary display.
- GeForce 6800 PCI-E: When played in Overlay mode, there is an initial hesitation during the Galaxy Quest menu ship flyby.
- GeForce 7800 GTX / GeForce 6800 Ultra: Age of Empires 3 demo v1.0 has corruption on the title screen when running at high resolutions (1600x1200) with antialiasing set to Medium or High, Shader Quality set to Very High, and Shadow Quality set to Very High.

*This is an issue with the application.*

- GeForce 6800 / 6200: Battlefield 1942 has shimmering textures.

*Battlefield 1942 uses negative LOD intensively in the game, but this should not be used in conjunction with anisotropic filtering.*

*To reduce shimmering, set the advanced option "negative LOD bias" to CLAMP, and then the image settings slider to High Quality.*

- GeForce 7800/GeForce 6800 GT: Screen corruption may occur with F.E.A.R. when antialiasing and soft shadows are enabled.

*This is an issue with the application and is documented as such in the demo's release notes. Disabling antialiasing fixes the soft shadow corruption.*

- GeForce 7800 GTX, GeForce 6800/6800 Ultra, GeForce 6600 GT: Explosion effects in the game Pariah result in full-screen corruption.

*This is an issue with the application. To work around the issue, set the variable **HasNvidiaTexM32Tex** in the file **pariah.ini** to (1). ((0) is the default.)*

- GeForce 6800: Shadows are not rendering correctly in Ground Control 2.

*This is not an NVIDIA bug, but an issue with the application.*

- GeForce 6800: Half-Life 2 fog is different when using ATI hardware.

*This is not an NVIDIA bug, but rather an issue with the application.*

- GeForce 6800: Aspect ratio is incorrect when movie transitions from 4:3 to 16:9 playback using PowerDVD5 Trail (download from the Cyberlink Web site).

*This is an application issue, and does not occur with other DVD players.*

- GeForce 6800 Ultra, Windows XP: Movies are choppy in Prince of Persia Warrior Within. However, gameplay is not affected.

*This is not an NVIDIA bug, but rather an issue with the application.*

- GeForce 6800 Ultra PCI-E: Shadows are not rendering correctly in Ground Control 2.

- GeForce 6600/6800 (128MB): 3D Mark 2003 demo mode results in an out of memory error at 1600x1200x32 with 4x antialiasing enabled.

*This is not a bug. The problem occurs because there is not enough memory to run 3D Mark03 in this mode with a 128MB board.*

- GeForce 6600: The 3D Pipes screen saver crashes when previewed with the desktop rotated 90 degrees and then switched back to 0 degrees (no rotation).

*This is not an NVIDIA bug, but rather an issue with the application.*

- GeForce 6600 GT: Antialiasing doesn't work with Serious Sam II Demo.

*This is not a bug. HDR in Serious Sam II is not supported by the NVIDIA control panel antialiasing.*

- GeForce 6600 (128 MB): The game Hitman—Contracts refuses to start with graphics options set to the maximum (1600x1200, 4x antialiasing, 16x anisotropic filtering).

*This is not an NVIDIA bug, but an issue with the application.*

- GeForce 6600, GeForce FX 5600 Ultra: There is intermittent corruption on the first warning screen of some DVD titles.

*A patch for this issue is available from Microsoft.*

- GeForce 6600: Artifacts appear in the introduction videos and during game play in Tomb Raider: Angel of Darkness at 1600x1200 and with 4x antialiasing enabled.

*This is not an NVIDIA bug.*

- GeForce 6200 256 MB: Windows Media Player 10 hangs when the desktop is rotated.

*This is an application issue and not an NVIDIA bug.*

- GeForce 6200 (16MB/32MB): Game-loading errors occur with Tomb Raider Angel of Darkness.

*This is an issue with the application. You can work around this issue by switching off the video using the command line switch “-no\_fmvs”.*

- GeForce 6200 with TurboCache (16MB): A Direct3D out-of-memory error occurs in Unreal Tournament 2003 when using the HardOCP Benchmark Utility version 2.1.

*This is not an NVIDIA bug.*

- GeForce 6 Series: Stuttering occurs in the game EverQuest II.

NVIDIA has optimized performance in the 77.72 drivers to reduce stuttering related to the GPU and drivers. However, in-game stuttering can still occur as the result of the following system conditions:

- Using high-quality/maximum-visual game settings on a PC with less than 1.5 GB of system memory—EverQuest II's highest quality settings are extremely hardware intensive (graphics, memory, and CPU).
- Misconfigured AGP aperture settings and fragmented hard disks can also contribute to in-game stuttering.
- GeForce 6 Series, Windows XP: There is no difference in lighting after turning the flashlight on and off a few times in Half-Life 2, resulting in darkness even with the flashlight on.

*This is not an NVIDIA bug, but rather an issue with the application.*

## **GeForce FX Series GPUs**

- GeForce FX 5950 Ultra: Call of Duty 2 crashes when "optimal system settings" is chosen in the game options menu.

*This is not an NVIDIA bug, but an issue with the application. It is fixed with the full retail version of Call of Duty 2.*

- GeForce FX 5950 Ultra: Homeworld2 antialiased performance is slow.

*This is not an NVIDIA bug, but is a known issue with the application. A game patch 1.1 is available at [ftp://ftp.sierra.com/pub/sierra/homeworld2/updates/homeworld2\\_update\\_en\\_10\\_11.exe](ftp://ftp.sierra.com/pub/sierra/homeworld2/updates/homeworld2_update_en_10_11.exe).*

- GeForce FX 5600 Ultra, GeForce 6600: There is intermittent corruption on the first warning screen of some DVD titles.

*A patch for this issue is available from Microsoft.*

- GeForce FX Series: Stuttering occurs in the game EverQuest II.

NVIDIA has optimized performance in the 77.72 drivers to reduce stuttering related to the GPU and drivers. However, in-game stuttering can still occur as the result of the following system conditions:

- Using high-quality/maximum-visual game settings on a PC with less than 1.5 GB of system memory  
EverQuest II's highest quality settings are extremely hardware intensive (graphics, memory, and CPU).
- Misconfigured AGP aperture settings and fragmented hard disks can also contribute to in-game stuttering.

## **Not NVIDIA Issues—SLI Mode**

---

- [SLI], GeForce 8800 GTX: Neverwinter Nights 2— flickering occurs between screen transitions when SLI is enabled.[296352]
- GeForce 7950 GX2 Quad NVIDIA SLI, GeForce 7900, GeForce 6800: NHL 2006—with SLI mode enabled, the screen flickers several times when exiting back to the menu from gameplay.

*This is not an NVIDIA bug, but rather an issue with the application.*

- GeForce 7900 GT/GS, Dual-Core System, SLI: With SLI mode enabled, the game Flat Out stops responding after starting a game.

*This is not an NVIDIA bug, but an issue with the OS. To resolve the issue, install the Windows Dual-Core patches.*

- GeForce 7800 GTX/GT, SLI: The load balancing line is corrupted when playing Civilizations 4 at 2560x1600.

*This is not an NVIDIA bug, but a visual effect resulting from the interaction between the frame rate and the update rate of the split line.*

- SLI mode does not appear capable of being enabled with City of Villains.

*This issue occurs because City of Heroes and City of Villains share the same executable name.*

You can work around this issue by either

- *modifying the City of Heroes application profile (this will create a second City of Heroes profile) to enable SLI AFR mode, or*
- *set AFR as the rendering mode in Global Profile.*

*For more information on customizing SLI profiles, visit [www.slizone.com](http://www.slizone.com) and navigate to Learn More->How-to Guides.*

- **GeForce 6 and 7 Series, SLI: SLI does not work with OpenGL applications when the SLI control panel page is open.**

*This is the correct behavior with SLI rendering. If you need to adjust SLI settings for an OpenGL application you must adjust the NVIDIA control panel settings with the application closed, then close the control panel and open the application.*

- **GeForce 6 and 7 Series, SLI, Windows XP: With SLI enabled, Call of Duty 2 performance appears to be slow.**

*For optimal SLI performance in Call of Duty 2, you must select 'YES' for 'Optimize for SLI' in the Graphics section of System Settings.*

- **GeForce 6 and 7 Series, SLI, Windows XP: After selecting 'YES' for 'Optimize for SLI' in the Graphics section of System Settings when playing Call of Duty 2, the setting resets to 'No' every time you restart the game.**

*The problem is that the setting does not get saved to the player's config file. You must make sure 'YES' is selected each time you launch the application or you can ensure the setting gets written to the config file in one of the following ways:*

- *Type "seta r\_multiGpu 1" in the console, or*
- *Add "seta r\_multiGpu 1" to the shortcut, or*
- *Add "seta r\_multiGpu 1" directly to your config.cfg and config\_mp.cfg files in your directory under the "main/players" folder.*
- **With SLI enabled, the SLI split line does not appear when VSync is forced on.**

*This is not a bug, and the applications are, in fact, running in SLI mode. The SLI split line/load bar is not supposed to appear when Vsync is enabled in SLI mode.*

- **GeForce 6800/6600 GT: Slow performance with World of Warcraft in SLI mode.**

*This is not an NVIDIA bug, but instead the result of a recent patch for World of Warcraft to reduce mouse lag on slower computers by synchronizing the GPU(s). This change is unnecessary for NVIDIA users, and particularly for users with SLI configurations.*

*For optimal performance when playing World of Warcraft in SLI mode:*

- *Disable vertical sync within the World of Warcraft in-game video options.*
- *Enable "hardware mouse" acceleration and disable "smooth mouse" within the World of Warcraft in-game video options.*

"Smooth mouse" reduces mouse lag when the frame rate is low and "hardware mouse" is disabled.



## Known Product Limitations

---

This section describes problems that will not be fixed. Usually, the source of the problem is beyond the control of NVIDIA. Following is the list of problems and where they are discussed in this document:

- “Full-screen Video Mirror not Supported on GeForce 8 Series and Later GPUs” on page 24
- “GeForce 6 and 7 Series Cards Cannot Output Interlaced Signals in SLI Mode” on page 24
- “Image Sharpening Control not Available with GeForce 8 Series and Later GPUs” on page 24
- “Display Output Selection not Available on “Bridgeless” SLI” on page 24
- “DirectX Fails When Detaching/Reattaching Displays in Dualview Mode” on page 25
- “OpenGL Viewport Scaling Problem in Horizontal Span Mode” on page 25
- “Video Playback in nView Clone and Span Modes” on page 25
- “No Antialiasing of 3DMark03 Image Quality Screen Captures” on page 26
- “Medal of Honor Under Windows XP / Windows 2000” on page 26
- “Windows XP/2000 Issue with Settings Tab Monitor Positioning” on page 27
- “Antialiasing Problems With Certain Applications” on page 27
- “Poor Quality S-Video Output on Some TVs” on page 28
- “AGP and PCI-E Programs May Hang With AMD K7 and K8 Processors” on page 28
- “Desktop Manager Does Not Re-Center Logon Screen” on page 29
- “Issues with Video Mirror–Windows XP/2000” on page 29

## Full-screen Video Mirror not Supported on GeForce 8 Series and Later GPUs

---

Full-screen video mirroring is not supported on graphics cards based on the GeForce 8 series and later GPUs.

Compliance with Microsoft's Certified Output Protection Protocol (COPP) for content-protected media has prompted NVIDIA to remove this feature for all video.

## GeForce 6 and 7 Series Cards Cannot Output Interlaced Signals in SLI Mode

---

- **Problem**

Rendering problems and instability occur when outputting interlaced modes (480i, 576i and 1080i) over the Y Pr Pb component and DVI outputs.

- **Explanation**

This is a hardware limitation in SLI mode only and cannot be fixed via a driver update.

- **Resolution**

Due to this issue, starting in driver version 162.18 in Windows XP, the driver will automatically disable SLI mode when using the 480i, 576i and 1080i modes over all connectors on the GeForce 6 and 7 series GPUs.

To re-enable SLI mode, you must choose a non-interlaced output mode and reboot your computer.

- GeForce 8 series GPUs do not have this hardware limitation and you can output all HDTV interlaced and progressive scan outputs in SLI mode.
- The 480p, 576p, 720p, and 1080p progressive scan modes do not have this issue in SLI mode and are not affected by this change.

## Image Sharpening Control not Available with GeForce 8 Series and Later GPUs

---

With GeForce 8 Series and later graphics cards, the **Image sharpening** slider on the NVIDIA Control Panel-> Display->Adjust Desktop Color Settings page is grayed out.

This control is intentionally disabled because image sharpening is not supported on GeForce 8 series and later GPUs.

## Display Output Selection not Available on "Bridgeless" SLI

---

On graphics cards that can operate in SLI mode without the SLI connector (such as the GeForce 6600), you cannot select which monitor to display the output. On the SLI display property page, the option box to select the output display is not available.

## DirectX Fails When Detaching/Reattaching Displays in Dualview Mode

---

This problem can be duplicated as follows:

- 1 Enable both displays in Dualview mode.
- 2 Detach monitor 2 and apply settings.
- 3 Reattach monitor 2 and apply settings.

DirectX runtime fails on monitor 1.

*This is not an NVIDIA bug, but a limitation in the operating system where DirectX does not enumerate the second device. DirectX can be restored to both displays by rebooting the system*

## OpenGL Viewport Scaling Problem in Horizontal Span Mode

---

With nView Horizontal Span mode enabled, when opening an OpenGL model in a viewport, the model image is scaled too large to fit in the viewport. The problem occurs with such applications as Maya 5.0 and 3D Studio MAX 4.26.

*This is not an NVIDIA bug, but a limitation in the application's ability to properly maintain the aspect ratio in Horizontal Span mode.*

## Video Playback in nView Clone and Span Modes

---

- **Problem**

With nView Clone or Span mode enabled, video playback appears on only one display under the following conditions:

- Under nView Clone mode, when full-screen video mirror is not used.
- Under nView Span mode, when full-screen video mirror is not used and the video is positioned to span across both monitors.

- **Explanation**

With applications that render using the hardware overlay—such as DirectX applications—the default driver behavior is to enable the hardware overlay when nView Clone or Span mode is enabled.

*Because the driver supports only one hardware overlay, the video appears on only one display.*

## No Antialiasing of 3DMark03 Image Quality Screen Captures

---

- **Problem**

After enabling antialiasing from the NVIDIA Properties page, 3DMark03 screen captures—obtained using the application’s screen capture function—might not be antialiased.

- **Explanation**

This is not an NVIDIA bug, but rather a result of different methods used to render antialiased images.

Depending on a combination of factors, the driver may take advantage of the NVIDIA hardware’s ability to bypass the front buffer while rendering an antialiased image. In this case, the front buffer does not contain antialiased data, so if an application takes data from the front buffer—as is the case with 3DMark03’s Image Quality screen captures—then the resulting image is not antialiased.

To accommodate applications that request use of the front buffer, the NVIDIA software can provide the antialiased data in a buffer to the application. Since this negates the advantages of the NVIDIA hardware capability, this support is enabled only when antialiasing is enabled within the application, and not from the NVIDIA control panel.

*In all cases when antialiasing is enabled, screen images as well as screen captures obtained using the Print Screen key are always antialiased.*

## Medal of Honor Under Windows XP / Windows 2000

---

- **Problem**

The Electronic Arts game Medal of Honor uses a hard coded buffer to parse the OpenGL extension string. This can cause a system crash under Windows XP and Windows 2000.

- **Workaround**

NVIDIA has implemented Medal of Honor application detection to work around this extension string crash.

## Windows XP/2000 Issue with Settings Tab Monitor Positioning

---

- **Problem**

In the Windows **Display Properties > Settings** tab, the secondary monitors cannot be positioned directly above monitor #1 without snapping horizontally to a position diagonal to monitor #1.

- **When the Problem Occurs**

The problem occurs when four monitors are connected to the graphics adapter card, but only two of them are enabled.

- **Cause and Workaround**

This is a Microsoft—not an NVIDIA—bug, and there is no workaround to correct the positioning of the monitor icons. However, the actual positioning of the displays on the desktop can be corrected using the nView Desktop Manager window as follows:

- 1 Under the Tools tab in the Desktop Manager windows, make sure Automatically Align Displays is checked.
- 2 In the Settings tab, position the appropriate monitor icon above monitor #1, then click **Apply**.

The mouse cursor movement between monitor desktops will correspond to a vertical orientation of the monitors, even though the monitor icons in the Settings tab are diagonal to each other.

**Note:** This will be the case even if the monitor icons are deliberately positioned diagonal to each other.

## Antialiasing Problems With Certain Applications

---

Antialiasing in the NVIDIA Direct3D driver requires each new frame to be rendered from scratch. This requirement adversely affects applications that render only that portion of the content that has changed since the last frame. A common symptom of this problem is geometric structures that incorrectly disappear and re-appear as the scene shifts.

## Poor Quality S-Video Output on Some TVs

---

NVIDIA drivers differentiate an S-video TV from a composite TV by searching for 75-Ohm loads on the chrominance and luminance lines. If the driver detects only one such load, it assumes that it has a composite TV and drives both chroma and luma onto that line. This approach allows both types of TV to display in color.

Unfortunately, some S-video TVs do not apply the correct load to both lines, causing the driver to detect an S-video TV as a composite. The driver, in turn, sends the lower quality signal to the S-video TV. To work around this problem, use the Control Panel to override the **Auto-select** feature. This can be done following these steps:

- 1 In the **Settings** tab of the **Display Properties** Control Panel, click **Advanced**.
- 2 In the **nView** tab, click **Device Settings** and click **Select Output Device**.
- 3 In the **Device Selection** tab, click the **TV** option.
- 4 Change the **Video output format** to **S-video**.

## AGP and PCI-E Programs May Hang With AMD K7 and K8 Processors

---

- **Issue**

Microsoft® Windows® 2000 and Windows XP systems using AMD K7 and K8 processors can hang when an AGP or PCI-E program is used.

- **Root Cause**

There is a known problem with Microsoft® Windows® 2000 and Windows XP systems using AMD K7 and K8 CPUs that results in the Microsoft operating system allocating overlapping 4M cached pages with 4k write-combined pages. This condition results in undefined behavior and data corruption, and is explicitly disallowed by the AMD CPU manual.

This problem can affect any device driver in the system that allocates write-combined system memory, but is usually most easily reproduced with graphics drivers since graphics drivers generally make heavy use of write-combined system memory for performance reasons.

- **Resolution**

Microsoft has a knowledge base article on the issue, the text of which is unfortunately quite outdated. While the article only mentions Windows 2000, AGP, and K7, both the root cause and resolution also apply to Windows 2000 or Windows XP, AGP or PCI-E, and AMD K7 or K8. The article can be found at <http://support.microsoft.com/?id=270715>.

The issue is resolved by applying an operating system registry key as described in the referenced article that instructs the Microsoft operating system to not use the 4M pages, thus avoiding the conflict.

The registry key is automatically applied by installation of the latest NVIDIA nForce platform driver package (including 4.57 SMBUS or later). It is imperative for the package to be installed or for the registry key to be applied before the NVIDIA graphics driver or any other device drivers are installed. The registry key takes effect only after an operating system reboot.

## Desktop Manager Does Not Re-Center Logon Screen

---

On Windows XP multi-display systems that are set to nView Span mode, the Windows logon screen is centered on the extended desktop. This usually causes it to be split across two displays, which users may find annoying. Although users can normally use the Desktop Manager to restrict a window's appearance to one display, security restrictions in the operating systems prevent this in the case of the logon screen.

## Issues with Video Mirror—Windows XP/2000

---

Table 2.1 lists current known issues with NVIDIA Video Mirror functionality.

**Table 2.1** Known Issues with Video Mirror

Video Mirror is not yet implemented for applications using Video Port Extensions (VPE).
If Video Mirror is enabled but a full-screen display does not appear, one of the following problems may have occurred:
Video Mirror can only function when overlay is being used. The video player may not be able to create an overlay if another application is using the overlay, or the desktop display resolution is too high. You can lower the desktop resolution, pixel depth, or refresh rate.
Video Mirror requires some extra memory to run. Try closing other DirectX or OpenGL applications that may be running.
You may need to close and restart your video application for Video Mirror enabling or disabling to take effect.
Some video players that cannot detect the presence of Video Mirror stop playing if they are minimized or completely obscured by another window. For example, Media Player can exhibit this problem.



## CHAPTER

## 3

# THE RELEASE 175 DRIVER FOR WINDOWS XP

This chapter covers the following main topics:

- “Hardware and Software Support” on page 31
- “Driver Installation” on page 36
- “NVIDIA Driver History” on page 39

## Hardware and Software Support

---

### Supported Operating Systems

---

This Release 175 driver includes drivers designed for the following Microsoft® operating systems:

- Microsoft Windows® XP
  - Windows XP Media Center Edition 2005 Update Rollup2
  - Windows XP Media Center Edition 2005
  - Windows XP Media Center Edition 2004
  - Windows XP Professional
  - Windows XP Home Edition
  - Windows XP Professional x64 Edition

## Supported NVIDIA Products

Table 3.1 lists the NVIDIA GPUs supported by this Release 175 driver.

**Table 3.1** Supported NVIDIA Consumer Products

<b>Product</b>	<b>Windows XP 32-bit</b>	<b>Windows XP Professional x64</b>
GeForce 9800 GX2	X	X
GeForce 9800 GTX	X	X
GeForce 9600 GT	X	X
GeForce 9600 GSO	X	X
GeForce 8800 Ultra	X	X
GeForce 8800 GTX	X	X
GeForce 8800 GTS 512	X	X
GeForce 8800 GTS	X	X
GeForce 8800 GT	X	X
GeForce 8600 GTS	X	X
GeForce 8600 GT	X	X
GeForce 8600 GS	X	X
GeForce 8500 GT	X	X
GeForce 8400 GS	X	X
GeForce 8400 SE	X	X
GeForce 8400	X	X
GeForce 8300 GS	X	X
GeForce 8300	X	X
GeForce 8200	X	X
GeForce 8100/NVIDIA nForce 720a	X	X
NVIDIA nForce 720a	X	X
GeForce 7950 GX2	X	X
GeForce 7950 GT	X	X
GeForce 7900 GTX	X	X
GeForce 7900 GT/GTO	X	X
GeForce 7900 GS	X	X
GeForce 7800 SLI	X	X
GeForce 7800 GTX	X	X
GeForce 7800 GT	X	X
GeForce 7800 GS	X	X
GeForce 7650 GS	X	X
GeForce 7600 GT	X	X
GeForce 7600 GS	X	X
GeForce 7600 LE	X	X
GeForce 7500 LE	X	X
GeForce 7350 LE	X	X
GeForce 7300 SE	X	X
GeForce 7300 LE	X	X
GeForce 7300 GT	X	X
GeForce 7300 GS	X	X
GeForce 7200 GS	X	X
GeForce 7100 GS	X	X

**Table 3.1** Supported NVIDIA Consumer Products (continued)

<b>Product</b>	<b>Windows XP 32-bit</b>	<b>Windows XP Professional x64</b>
GeForce 7150 / NVIDIA nForce 630i	X	X
GeForce 7100 / NVIDIA nForce 630i	X	X
GeForce 7050 / NVIDIA nForce 630i	X	X
GeForce 7050 / NVIDIA nForce 610i	X	X
GeForce 7100 / NVIDIA nForce 620i	X	X
GeForce 7050 PV / NVIDIA nForce 630a	X	X
GeForce 7025 / NVIDIA nForce 630a	X	X
GeForce 6800 XT	X	X
GeForce 6800 XE	X	X
GeForce 6800 Ultra	X	X
GeForce 6800 Series GPU	X	X
GeForce 6800 LE	X	X
GeForce 6800 GT	X	X
GeForce 6800 GS/XT	X	X
GeForce 6800 GS	X	X
GeForce 6800	X	X
GeForce 6700 XL	X	X
GeForce 6610 XL	X	X
GeForce 6600 VE	X	X
GeForce 6600 LE	X	X
GeForce 6600 GT	X	X
GeForce 6600	X	X
GeForce 6500	X	X
GeForce 6250	X	X
GeForce 6200SE TurboCache™	X	X
GeForce 6200 TurboCache™	X	X
GeForce 6200 LE	X	X
GeForce 6200 A-LE	X	X
GeForce 6200	X	X
GeForce 6150SE nForce 430	X	X
GeForce 6150 LE	X	X
GeForce 6150	X	X
GeForce 6100 nForce 420	X	X
GeForce 6100 nForce 405	X	X
GeForce 6100 nForce 400	X	X
GeForce 6100	X	X
GeForce PCX 5900	X	X
GeForce PCX 5750	X	X
GeForce PCX 5300	X	X
GeForce FX 5950 Ultra	X	X
GeForce FX 5900ZT	X	X
GeForce FX 5900XT	X	X
GeForce FX 5900 Ultra	X	X
GeForce FX 5900	X	X
GeForce FX 5800 Ultra	X	X
GeForce FX 5800	X	X

**Table 3.1** Supported NVIDIA Consumer Products (continued)

<b>Product</b>	<b>Windows XP 32-bit</b>	<b>Windows XP Professional x64</b>
GeForce FX 5700VE	X	X
GeForce FX 5700LE	X	X
GeForce FX 5700 Ultra	X	X
GeForce FX 5700	X	X
GeForce FX 5600XT	X	X
GeForce FX 5600SE	X	X
GeForce FX 5600 Ultra	X	X
GeForce FX 5600	X	X
GeForce FX 5500	X	X
GeForce FX 5200LE	X	X
GeForce FX 5200 Ultra	X	X
GeForce FX 5200	X	X
GeForce FX 5100	X	X

## Supported Languages

---

The Release 175 Release 175 Graphics supports the following languages in the main driver Control Panel:

English (USA)	German	Portuguese (Euro/Iberian)
English (UK)	Greek	Russian
Arabic	Hebrew	Slovak
Chinese (Simplified)	Hungarian	Slovenian
Chinese (Traditional)	Italian	Spanish
Czech	Japanese	Spanish (Latin America)
Danish	Korean	Swedish
Dutch	Norwegian	Thai
Finnish	Polish	Turkish
French	Portuguese (Brazil)	

# Driver Installation

---

## System Requirements

---

The hard disk space requirement is minimum 62.9 MB for English-only, and 79 MB for International.

## Installation Instructions

---

### Before You Begin

- **If NVIDIA nTune is already installed**

If you have previously installed NVIDIA nTune, NVIDIA recommends that you uninstall nTune before installing this driver. After the driver install is complete, you can reinstall nTune.

- If you do not have System Administrator access privileges, it is assumed that the appropriate person with System Administrator access in your organization will set up and install the NVIDIA graphics driver software on your computer.
- The installation process copies all necessary files for operation into the appropriate directories.
- The nView system files are copied to your **Windows\System** directory.
- nView Desktop Manager Profile files (\*.tvp) are saved in the **Windows\Nview** directory.

Depending on the version of the NVIDIA driver previously installed, profiles may also be located in the **Documents and Settings\All Users\Application Data\nView\_Profiles** directory.

- As part of the install process, an uninstall is registered in your system.
- Under Windows XP, the NVIDIA driver is installed in “Dualview mode” display. However, note that the second display is not activated by default, but must be enabled.

## Preserving Settings Before Upgrading Your Software

Before uninstalling or installing software, you can preserve your nView Desktop Manager and/or NVIDIA Display settings by using the nView Desktop Manager Profiles features.

**Note:** Follow the steps below and/or refer to the *NVIDIA nView Desktop Manager User's Guide* for details. Under Windows XP/2000 and Windows NT 4.0, you must have, at least, **Power User** access privileges in order to create or save a profile. (Refer to Windows Help if you need an explanation of Power User access rights.)

Follow the steps below and/or refer to the *NVIDIA nView Desktop Manager User's Guide* for details.

- 1 Open the nView Desktop Manager Profiles page (Figure 4.1).
- 2 To preserve your current settings, you can use either the **Save** or the **New** option from the nView Desktop Manager Profiles page:
  - If you want to overwrite the currently loaded profile with your changed settings, use the **Save** option. Notice that a warning message indicates that you are about to overwrite the selected profile.
  - If you want to retain the currently loaded profile and want to save your changed settings to a new file, click the **New** option. Enter a name and description of the profile in the New Profile dialog box. For example, you can name this profile **My Settings**.
- 3 If you are an “advanced” user and want to customize certain settings in the saved profile, click **Advanced** << to expand the dialog box (Figure 4.2).
- 4 To customize the settings, you can select or clear any of the settings check boxes.
- 5 Click **Save** to return to the main Profiles page.

If you created a new profile, you will see the name of the newly created profile in the profiles list.

If you overwrote a current profile, the same profile name is retained in the list.

**Note:** nView Desktop Manager profile (.tvp) files are saved in the **Windows\nView** directory. Depending on the version of the NVIDIA driver previously installed, profiles may also be saved in the **Documents and Settings\All Users\Application Data\ nView\_Profiles** directory.

- 6 Now you can uninstall your current driver for a driver upgrade.
- 7 After you restart your computer following an NVIDIA new driver install, you can easily load the saved profile from the Profiles page of nView Desktop Manager.

## About Using Saved Profiles in Another Computer

You can easily use any saved profile (.tvp file in the **Windows\nView** directory) from one computer and use it in another computer, if you want. You'll need to copy it to the **Windows\nView** directory of a computer that has the NVIDIA ForceWare graphics display driver, etc. installed properly. Then this profile can be loaded from another computer from the nView Desktop Manager Profiles page just as it can from your original computer.

## Uninstalling the NVIDIA Display Driver Software

*Note: It is highly recommended that you follow the steps in this section to completely uninstall the NVIDIA Display Driver software before updating to a new version of the software.*

To uninstall the nView software, follow these steps:

- 1 From the Windows taskbar, click **Start > Settings > Control Panel** to open the Control Panel window.
- 2 Double-click the **Add/Remove Programs** item.
- 3 Click the **NVIDIA Display Driver** item from the list.
- 4 Click **Change/Remove**.
- 5 Click **Yes** to continue.

A prompt appears asking whether you want to delete all of the saved nView profiles.

- If you click **Yes**, all of the nView software and all of your saved profiles will be deleted.
- If you click **No**, the nView software is removed, but the profile files are saved in the `Windows\nView` directory on your hard disk.

Your system now restarts.

## Installing the NVIDIA ForceWare Graphics Drivers

- 1 Follow the instructions on the NVIDIA .com Web site driver download page to locate the appropriate driver to download, based on your hardware and operating system.
- 2 Click the driver download link.
- 3 The license agreement dialog box appears.
- 4 Click **Accept** if you accept the terms of the agreement, then either open the file or save the file to your PC and open it later.
- 5 Extract the zip files to a temporary folder on your PC.
- 6 Open the NVIDIA driver installation .EXE file to launch the NVIDIA InstallShield Wizard.
- 7 Follow the instructions in the NVIDIA InstallShield Wizard to complete the installation.

## NVIDIA Driver History

---

Release 175 is the latest NVIDIA driver available. [Table 3.1](#) contains a summary of some previous driver releases and the versions associated with them. Some versions listed may not have been released outside of NVIDIA..

**Table 3.1** NVIDIA Drivers for Windows

Driver	Name	Versions	Comments
Release 175	GeForce	175.16	
Release 174	GeForce	174.16, 174.53, 174.74	
Release 169	ForceWare	169.04, 169.09, 169.13, 169.21	
Release 167	ForceWare	167.35	
Release 163	ForceWare	163.44, 163.67, 163.69, 163.71, 163.75	
Release 162	ForceWare	162.18	
Release 158	ForceWare	158.19, 158.22	
Release 95	ForceWare	96.94, 95.97, 97.02, 97.44, 97.92, 97.94	
Release 90	ForceWare	91.28, 91.31, 91.33, , 91.37, 91.45, 91.47	
Release 80	ForceWare	, 81.82, 81.84, 81.85, 81.87, 81.94, 81.95, 81.98, 82.12, 82.14, 83.40 84.12, 84.20, 84.21, 84.25, 84.43	
Release 75	ForceWare	77.56 77.72, 77.76, 77.77, 78.01, 78.05	
Release 70	ForceWare	71.84, 71.89	
Release 65	ForceWare	66.77, 66.93, 67.02, 67.03, 67.66	
Release 60	ForceWare	61.76, 61.77	
Release 55	ForceWare	56.64, 56.72, 57.30	
Release 50	ForceWare	52.16, 53.04	
Release 40	Detonator FX	44.03–45.xx	
Release 40	Detonator 40	40.60–44.02	
Release 35	Detonator 35	35.60–37.80	
Release 25	Detonator 25	26.00–32.90	

**Table 3.1** NVIDIA Drivers for Windows (continued)

<b>Driver</b>	<b>Name</b>	<b>Versions</b>	<b>Comments</b>
Release 20	Detonator XP	21.83–23.xx	
Release 10	Detonator 3 v1x.xx	10.00–17.xx	

## APPENDIX



## MODE SUPPORT FOR WINDOWS

This chapter details the Windows modes supported by the Release 175 driver for NVIDIA products. It contains these sections:

- “General Mode Support Information” on page 42
- “Default Modes Supported by GPU for Windows XP” on page 43
- “Modes Supported by TV Encoders” on page 62

## General Mode Support Information

---

The NVIDIA graphics driver includes a standard list of display modes that are supported by default. These modes are listed in the section [“Default Modes Supported by GPU for Windows XP”](#) on page 43.

The actual modes available depend on the capabilities of the display. In addition, the NVIDIA graphics driver has a “dynamic EDID detection” capability and will make available *additional* modes that are listed in the display EDID, provided the graphics hardware can support it.

The NVIDIA graphics driver also supports the high resolutions available with the displays listed in [Table A.1](#) as well as the non-standard modes listed in [Table A.2](#).

**Table A.1** Modes Supported for High Resolution Displays

Display	Maximum Resolution	Hardware Requirements
Apple 30" Cinema HD Display (Dual link DVI)	2560x1600 @ 60 Hz	<ul style="list-style-type: none"> <li>• All GeForce 7 series GPUs and later</li> <li>• GeForce 6800 Ultra 512</li> <li>• GeForce 6800 with 512 MB</li> </ul>
Dell WFP 3007 (Dual Link DVI)	2560x1600 @ 60 Hz	
HP LP3065 dual-link DVI flat panel	2560x1600 @ 60Hz.	

**Table A.2** Non-standard Modes Supported

Resolution
1680 x 1050
1366 x 768

## Default Modes Supported by GPU for Windows XP

---

This section lists the modes that are included by default in the driver INF for the following product families:

- “GeForce 9 Series, GeForce 8 Series, GeForce 7 Series, GeForce 6 Series, and GeForce FX Family GPUs” on page 44
- “GeForce 8300/8200/8100 GPUs” on page 52
- “nForce 630a GPUs” on page 56

## Understanding the Mode Format

---

Figure A.1 gives an example of how to read the mode information presented in this section.

Resolution	Color Depth	Refresh Rates
└───┘	└───┘	└───┘

**Example entry:** 1024 x 768 32 60 70 72 75 85 100 120 140 144 150 170 200

**Meaning:**

Resolution:	1024 x 768
Color depth:	32 bpp
Refresh rates:	60 Hz, 70 Hz, 72 Hz, 75 Hz, 85 Hz, 100 Hz, 120 Hz, 140 Hz, 144 Hz, 150 Hz, 170 Hz, and 200 Hz

**Figure A.1** Mode Format

**Note:**

- Horizontal spanning modes of 3840x1080 and above, and vertical spanning modes of 1920x2160 and above generally require at least 32 MB of video memory at 32 bpp.
- An “i” next to the refresh rate indicates an interlaced refresh rate.

## **GeForce 9 Series, GeForce 8 Series, GeForce 7 Series, GeForce 6 Series, and GeForce FX Family GPUs**

---

This section lists the supported display resolutions, color depths, and refresh rates for the following products:

- GeForce 9800 GX2
- GeForce 9800 GTX
- GeForce 9600 GT
- GeForce 9600 GSO
- GeForce 8800 Ultra / GTX / GTS
- GeForce 8800 GT
- GeForce 8800 GTS 512
- GeForce 8600 GTS / GT / GS
- GeForce 8500 GT
- GeForce 8400 GS / SE
- GeForce 8400
- GeForce 8300 GS
- GeForce 7950 GX2
- GeForce 7950 GT
- GeForce 7900 GTX
- GeForce 7900 GT/GTO
- GeForce 7900 GS
- GeForce 7800 SLI
- GeForce 7800 GTX / GT / GS
- GeForce 7650 GS
- GeForce 7600 GT / GS / LE
- GeForce 7500 LE
- GeForce 7350 LE
- GeForce 7300 SE / LE / GT / GS
- GeForce 7200 GS
- GeForce 7100 GS
- GeForce 7150 / NVIDIA nForce 630i

- GeForce 7100 / NVIDIA nForce 630i
- GeForce 7050 / NVIDIA nForce 630i
- GeForce 7050 / NVIDIA nForce 610i
- GeForce 7100 / NVIDIA nForce 620i
- GeForce 6800 XT / XE
- GeForce 6800 Ultra
- GeForce 6800 Series GPU
- GeForce 6800 LE
- GeForce 6800 GT / GS
- GeForce 6800 GS/XT
- GeForce 6700 XL
- GeForce 6610 XL
- GeForce 6600 VE / LE / GT
- GeForce 6500
- GeForce 6250
- GeForce 6200SE TurboCache™
- GeForce 6200 TurboCache™
- GeForce 6200 LE
- GeForce 6200 A-LE
- GeForce 6200
- GeForce 6150SE nForce 430
- GeForce 6150 LE
- GeForce 6150
- GeForce 6100 nForce 420
- GeForce 6100 nForce 405
- GeForce 6100 nForce 400
- GeForce 6100
- GeForce PCX 5900
- GeForce PCX 5750
- GeForce PCX 5300

- GeForce FX 5950 Ultra
- GeForce FX 5900ZT
- GeForce FX 5900XT
- GeForce FX 5900 Ultra
- GeForce FX 5900
- GeForce FX 5800 Ultra
- GeForce FX 5800
- GeForce FX 5700VE
- GeForce FX 5700LE
- GeForce FX 5700 Ultra
- GeForce FX 5700
- GeForce FX 5600XT
- GeForce FX 5600SE
- GeForce FX 5600 Ultra
- GeForce FX 5600
- GeForce FX 5500
- GeForce FX 5200LE
- GeForce FX 5200 Ultra
- GeForce FX 5200

- //////////////////////////////////////

**Standard Modes**

640 x 480	8	60 70 72 75 85 100 120 140 144 150 170 200 240
720 x 480	8	60
720 x 576	8	50 60
800 x 600	8	60 70 72 75 85 100 120 140 144 150 170 200 240
848 x 480	8	60 70 72 75 85 100 120 140 144 150 170 200 240
960 x 600	8	60 70 72 75 85 100 120 140 144 150 170 200 240
1024 x 768	8	60 70 72 75 85 100 120 140 144 150 170 200 240
1152 x 864	8	60 70 72 75 85 100 120 140 144 150 170 200
1280 x 720	8	60 70 72 75 85 100 120 140 144 150 170
1280 x 768	8	60 70 72 75 85 100 120 140 144 150 170
1280 x 800	8	60 70 72 75 85 100 120 140 144 150 170
1280 x 960	8	60 70 72 75 85 100 120 140 144 150 170

1280 x 1024	8		60 70 72 75 85 100 120 140 144 150 170
1360 x 768	8		60 70 72 75 85 100 120 140 144 150 170
1440 x 900	8		60 70 72 75 85 100 120 140 144 150 170 200
1600 x 900	8		60 70 72 75 85 100 120
1600 x 1200	8		60 70 72 75 85 100 120
1680 x 1050	8		60
1920 x 1080	8	30i	60 70 72 75 85 100
1920 x 1200	8		60 70 72 75 85 100
1920 x 1440	8		60 70 72 75 85
2048 x 1536	8		60 70 72 75 85

---

640 x 480	16		60 70 72 75 85 100 120 140 144 150 170 200 240
720 x 480	16		60
720 x 576	16	50	60
800 x 600	16		60 70 72 75 85 100 120 140 144 150 170 200 240
848 x 480	16		60 70 72 75 85 100 120 140 144 150 170 200 240
960 x 600	16		60 70 72 75 85 100 120 140 144 150 170 200 240
1024 x 768	16		60 70 72 75 85 100 120 140 144 150 170 200 240
1152 x 864	16		60 70 72 75 85 100 120 140 144 150 170 200
1280 x 720	16		60 70 72 75 85 100 120 140 144 150 170
1280 x 768	16		60 70 72 75 85 100 120 140 144 150 170
1280 x 800	16		60 70 72 75 85 100 120 140 144 150 170
1280 x 960	16		60 70 72 75 85 100 120 140 144 150 170
1280 x 1024	16		60 70 72 75 85 100 120 140 144 150 170
1360 x 768	16		60 70 72 75 85 100 120 140 144 150 170
1440 x 900	16		60 70 72 75 85 100 120 140 144 150 170 200
1600 x 900	16		60 70 72 75 85 100 120
1600 x 1200	16		60 70 72 75 85 100 120
1680 x 1050	16		60
1920 x 1080	16	30i	60 70 72 75 85 100
1920 x 1200	16		60 70 72 75 85 100
1920 x 1440	16		60 70 72 75 85
2048 x 1536	16		60 70 72 75 85

---

640 x 480	32		60 70 72 75 85 100 120 140 144 150 170 200 240
720 x 480	32		60
720 x 576	32	50	60
800 x 600	32		60 70 72 75 85 100 120 140 144 150 170 200 240
848 x 480	32		60 70 72 75 85 100 120 140 144 150 170 200 240

960 x 600	32		60 70 72 75 85 100 120 140 144 150 170 200 240
1024 x 768	32		60 70 72 75 85 100 120 140 144 150 170 200
1152 x 864	32		60 70 72 75 85 100 120 140 144 150 170 200
1280 x 720	32		60 70 72 75 85 100 120 140 144 150
1280 x 768	32		60 70 72 75 85 100 120 140 144 150
1280 x 800	32		60 70 72 75 85 100 120 140 144 150
1280 x 960	32		60 70 72 75 85 100 120 140 144 150
1280 x 1024	32		60 70 72 75 85 100 120 140 144 150
1360 x 768	32		60 70 72 75 85 100 120 140 144 150
1440 x 900	32		60 70 72 75 85 100 120 140 144 150 170 200
1600 x 900	32		60 70 72 75 85 100
1600 x 1200	32		60 70 72 75 85 100
1680 x 1050	32		60
1920 x 1080	32	30i	60 70 72 75 85
1920 x 1200	32		60 70 72 75 85
1920 x 1440	32		60 70 72 75 85
2048 x 1536	32		60 70 72 75 85

### Horizontal Spanning Modes

1280 x 480	8		60 70 72 75 85 100 120 140 144 150 170 200 240
1600 x 600	8		60 70 72 75 85 100 120 140 144 150 170 200 240
1696 x 480	8		60 70 72 75 85 100 120 140 144 150 170 200 240
1920 x 600	8		60 70 72 75 85 100 120 140 144 150 170 200 240
2048 x 768	8		60 70 72 75 85 100 120 140 144 150 170 200 240
2304 x 864	8		60 70 72 75 85 100 120 140 144 150 170 200
2560 x 720	8		60 70 72 75 85 100 120 140 144 150 170
2560 x 768	8		60 70 72 75 85 100 120 140 144 150 170
2560 x 800	8		60 70 72 75 85 100 120 140 144 150 170
2560 x 960	8		60 70 72 75 85 100 120 140 144 150 170
2560 x 1024	8		60 70 72 75 85 100 120 140 144 150 170
2720 x 768	8		60 70 72 75 85 100 120 140 144 150 170
2880 x 900	8		60 70 72 75 85 100 120 140 144 150 170 200
3200 x 900	8		60 70 72 75 85 100 120
3200 x 1200	8		60 70 72 75 85 100 120
3360 x 1050	8		60
3840 x 1080	8	30i	60 70 72 75 85 100
3840 x 1200	8		60 70 72 75 85 100

3840 x 1440	8		60 70 72 75 85
4096 x 1536	8		60 70 72 75 85
-----			
1280 x 480	16		60 70 72 75 85 100 120 140 144 150 170 200 240
1600 x 600	16		60 70 72 75 85 100 120 140 144 150 170 200 240
1696 x 480	16		60 70 72 75 85 100 120 140 144 150 170 200 240
1920 x 600	16		60 70 72 75 85 100 120 140 144 150 170 200 240
2048 x 768	16		60 70 72 75 85 100 120 140 144 150 170 200 240
2304 x 864	16		60 70 72 75 85 100 120 140 144 150 170 200
2560 x 720	16		60 70 72 75 85 100 120 140 144 150 170
2560 x 768	16		60 70 72 75 85 100 120 140 144 150 170
2560 x 800	16		60 70 72 75 85 100 120 140 144 150 170
2560 x 960	16		60 70 72 75 85 100 120 140 144 150 170
2560 x 1024	16		60 70 72 75 85 100 120 140 144 150 170
2720 x 768	16		60 70 72 75 85 100 120 140 144 150 170
2880 x 900	16		60 70 72 75 85 100 120 140 144 150 170 200
3200 x 900	16		60 70 72 75 85 100 120
3200 x 1200	16		60 70 72 75 85 100 120
3360 x 1050	16		60
3840 x 1080	16	30i	60 70 72 75 85 100
3840 x 1200	16		60 70 72 75 85 100
3840 x 1440	16		60 70 72 75 85
4096 x 1536	16		60 70 72 75 85
-----			
1280 x 480	32		60 70 72 75 85 100 120 140 144 150 170 200 240
1600 x 600	32		60 70 72 75 85 100 120 140 144 150 170 200 240
1696 x 480	32		60 70 72 75 85 100 120 140 144 150 170 200 240
1920 x 600	32		60 70 72 75 85 100 120 140 144 150 170 200 240
2048 x 768	32		60 70 72 75 85 100 120 140 144 150 170 200
2304 x 864	32		60 70 72 75 85 100 120 140 144 150 170 200
2560 x 720	32		60 70 72 75 85 100 120 140 144 150
2560 x 768	32		60 70 72 75 85 100 120 140 144 150
2560 x 800	32		60 70 72 75 85 100 120 140 144 150
2560 x 960	32		60 70 72 75 85 100 120 140 144 150
2560 x 1024	32		60 70 72 75 85 100 120 140 144 150
2720 x 768	32		60 70 72 75 85 100 120 140 144 150
2880 x 900	32		60 70 72 75 85 100 120 140 144 150 170 200
3200 x 900	32		60 70 72 75 85 100
3200 x 1200	32		60 70 72 75 85 100

3360 x 1050	32		60
3840 x 1080	32	30i	60 70 72 75 85
3840 x 1200	32		60 70 72 75 85
3840 x 1440	32		60 70 72 75 85
4096 x 1536	32		60 70 72 75 85

### Vertical Spanning Modes

640 x 960	8		60 70 72 75 85 100 120 140 144 150 170 200 240
800 x 1200	8		60 70 72 75 85 100 120 140 144 150 170 200 240
848 x 960	8		60 70 72 75 85 100 120 140 144 150 170 200 240
960 x 1200	8		60 70 72 75 85 100 120 140 144 150 170 200 240
1024 x 1536	8		60 70 72 75 85 100 120 140 144 150 170 200 240
1152 x 1728	8		60 70 72 75 85 100 120 140 144 150 170 200
1280 x 1440	8		60 70 72 75 85 100 120 140 144 150 170
1280 x 1536	8		60 70 72 75 85 100 120 140 144 150 170
1280 x 1600	8		60 70 72 75 85 100 120 140 144 150 170
1280 x 1920	8		60 70 72 75 85 100 120 140 144 150 170
1280 x 2048	8		60 70 72 75 85 100 120 140 144 150 170
1360 x 1536	8		60 70 72 75 85 100 120 140 144 150 170
1440 x 1800	8		60 70 72 75 85 100 120 140 144 150 170 200
1600 x 1800	8		60 70 72 75 85 100 120
1600 x 2400	8		60 70 72 75 85 100 120
1680 x 2100	8		60
1920 x 2160	8	30i	60 70 72 75 85 100
1920 x 2400	8		60 70 72 75 85 100
1920 x 2880	8		60 70 72 75 85
2048 x 3072	8		60 70 72 75 85

---

640 x 960	16		60 70 72 75 85 100 120 140 144 150 170 200 240
800 x 1200	16		60 70 72 75 85 100 120 140 144 150 170 200 240
848 x 960	16		60 70 72 75 85 100 120 140 144 150 170 200 240
960 x 1200	16		60 70 72 75 85 100 120 140 144 150 170 200 240
1024 x 1536	16		60 70 72 75 85 100 120 140 144 150 170 200 240
1152 x 1728	16		60 70 72 75 85 100 120 140 144 150 170 200
1280 x 1440	16		60 70 72 75 85 100 120 140 144 150 170
1280 x 1536	16		60 70 72 75 85 100 120 140 144 150 170
1280 x 1600	16		60 70 72 75 85 100 120 140 144 150 170

1280 x 1920	16		60 70 72 75 85 100 120 140 144 150 170
1280 x 2048	16		60 70 72 75 85 100 120 140 144 150 170
1360 x 1536	16		60 70 72 75 85 100 120 140 144 150 170
1440 x 1800	16		60 70 72 75 85 100 120 140 144 150 170 200
1600 x 1800	16		60 70 72 75 85 100 120
1600 x 2400	16		60 70 72 75 85 100 120
1680 x 2100	16		60
1920 x 2160	16	30i	60 70 72 75 85 100
1920 x 2400	16		60 70 72 75 85 100
1920 x 2880	16		60 70 72 75 85
2048 x 3072	16		60 70 72 75 85

---

640 x 960	32		60 70 72 75 85 100 120 140 144 150 170 200 240
800 x 1200	32		60 70 72 75 85 100 120 140 144 150 170 200 240
848 x 960	32		60 70 72 75 85 100 120 140 144 150 170 200 240
960 x 1200	32		60 70 72 75 85 100 120 140 144 150 170 200 240
1024 x 1536	32		60 70 72 75 85 100 120 140 144 150 170 200
1152 x 1728	32		60 70 72 75 85 100 120 140 144 150 170 200
1280 x 1440	32		60 70 72 75 85 100 120 140 144 150
1280 x 1536	32		60 70 72 75 85 100 120 140 144 150
1280 x 1600	32		60 70 72 75 85 100 120 140 144 150
1280 x 1920	32		60 70 72 75 85 100 120 140 144 150
1280 x 2048	32		60 70 72 75 85 100 120 140 144 150
1360 x 1536	32		60 70 72 75 85 100 120 140 144 150
1440 x 1800	32		60 70 72 75 85 100 120 140 144 150 170 200
1600 x 1800	32		60 70 72 75 85 100
1600 x 2400	32		60 70 72 75 85 100
1680 x 2100	32		60
1920 x 2160	32	30i	60 70 72 75 85
1920 x 2400	32		60 70 72 75 85
1920 x 2880	32		60 70 72 75 85
2048 x 3072	32		60 70 72 75 85

## GeForce 8300/8200/8100 GPUs

---

This section lists the supported display resolutions, color depths, and refresh rates for the following products:

- NVIDIA GeForce 8300
- NVIDIA GeForce 8200
- NVIDIA nForce 730a
- NVIDIA GeForce 8100 / nForce 720a

### Standard Modes

640 x 480	8		60 72 75 85 100
720 x 480	8		60
720 x 576	8		60
800 x 600	8		60 72 75 85 100
1024 x 768	8		60 72 75 85 100
1280 x 768	8		60 72 75 85 100
1280 x 1024	8		60 72 75 85 100
1440 x 900	8		60 72 75 85 100
1600 x 900	8		60 72 75 85 100
1600 x 1200	8		60 72 75 85 100
1680 x 1050	8		60
1920 x 1080	8	30i	
1920 x 1200	8		60 72 75 85 100
1920 x 1440	8		60 72 75 85
2048 x 1536	8		60 72 75

---

640 x 480	16		60 72 75 85 100
720 x 480	16		60
720 x 576	16		60
800 x 600	16		60 72 75 85 100
1024 x 768	16		60 72 75 85 100
1280 x 768	16		60 72 75 85 100
1280 x 1024	16		60 72 75 85 100
1440 x 900	16		60 72 75 85 100
1600 x 900	16		60 72 75 85 100
1600 x 1200	16		60 72 75 85 100
1680 x 1050	16		60

1920 x 1080	16	30i	
1920 x 1200	16		60 72 75 85 100
1920 x 1440	16		60 72 75 85
2048 x 1536	16		60 72 75
-----			
640 x 480	32		60 72 75 85 100
720 x 480	32		60
720 x 576	32		60
800 x 600	32		60 72 75 85 100
1024 x 768	32		60 72 75 85 100
1280 x 768	32		60 72 75 85 100
1280 x 1024	32		60 72 75 85 100
1440 x 900	32		60 72 75 85 100
1600 x 900	32		60 72 75 85 100
1600 x 1200	32		60 72 75 85 100
1680 x 1050	32		60
1920 x 1080	32	30i	
1920 x 1200	32		60 72 75 85
1920 x 1440	32		60 75
2048 x 1536	32		60

## Horizontal Spanning Modes

1280 x 480	8		60 72 75 85 100
1600 x 600	8		60 72 75 85 100
2048 x 768	8		60 72 75 85 100
2560 x 768	8		60 72 75 85 100
2560 x 1024	8		60 72 75 85 100
2880 x 900	8		60 72 75 85 100
3200 x 900	8		60 72 75 85 100
3200 x 1200	8		60 72 75 85 100
3360 x 1050	8		60
3840 x 1080	8	30i	
3840 x 1200	8		60 72 75 85 100
3840 x 1440	8		60 72 75 85
4096 x 1536	8		60 72 75
-----			
1280 x 480	16		60 72 75 85 100

1600 x 600	16		60 72 75 85 100
2048 x 768	16		60 72 75 85 100
2560 x 768	16		60 72 75 85 100
2560 x 1024	16		60 72 75 85 100
2880 x 900	16		60 72 75 85 100
3200 x 900	16		60 72 75 85 100
3200 x 1200	16		60 72 75 85 100
3360 x 1050	16		60
3840 x 1080	16	30i	
3840 x 1200	16		60 72 75 85 100
3840 x 1440	16		60 72 75 85
4096 x 1536	16		60 72 75

---

1280 x 480	32		60 72 75 85 100
1600 x 600	32		60 72 75 85 100
2048 x 768	32		60 72 75 85 100
2560 x 768	32		60 72 75 85 100
2560 x 1024	32		60 72 75 85 100
2880 x 900	32		60 72 75 85 100
3200 x 900	32		60 72 75 85 100
3200 x 1200	32		60 72 75 85 100
3360 x 1050	32		60
3840 x 1080	32	30i	
3840 x 1200	32		60 72 75 85
3840 x 1440	32		60 75
4096 x 1536	32		60

## Vertical Spanning Modes

640 x 960	8		60 72 75 85 100
800 x 1200	8		60 72 75 85 100
1024 x 1536	8		60 72 75 85 100
1280 x 1536	8		60 72 75 85 100
1280 x 2048	8		60 72 75 85 100
1440 x 1800	8		60 72 75 85 100
1600 x 1800	8		60 72 75 85 100
1600 x 2400	8		60 72 75 85 100
1680 x 2100	8		60

1920 x 2160	8	30i	
1920 x 2400	8		60 72 75 85 100
1920 x 2880	8		60 72 75 85
2048 x 3072	8		60 72 75

---

640 x 960	16		60 72 75 85 100
800 x 1200	16		60 72 75 85 100
1024 x 1536	16		60 72 75 85 100
1280 x 1536	16		60 72 75 85 100
1280 x 2048	16		60 72 75 85 100
1440 x 1800	16		60 72 75 85 100
1600 x 1800	16		60 72 75 85 100
1600 x 2400	16		60 72 75 85 100
1680 x 2100	16		60
1920 x 2160	16	30i	
1920 x 2400	16		60 72 75 85 100
1920 x 2880	16		60 72 75 85
2048 x 3072	16		60 72 75

---

640 x 960	32		60 72 75 85 100
800 x 1200	32		60 72 75 85 100
1024 x 1536	32		60 72 75 85 100
1280 x 1536	32		60 72 75 85 100
1280 x 2048	32		60 72 75 85 100
1440 x 1800	32		60 72 75 85 100
1600 x 1800	32		60 72 75 85 100
1600 x 2400	32		60 72 75 85 100
1680 x 2100	32		60
1920 x 2160	32	30i	
1920 x 2400	32		60 72 75 85
1920 x 2880	32		60 75
2048 x 3072	32		60

## nForce 630a GPUs

---

This sections lists the supported display resolutions, color depths, and refresh rates for the following products:

- NVIDIA GeForce 7050 PV / NVIDIA nForce 630a
- NVIDIA GeForce 7025 / NVIDIA nForce 630a

### Standard Modes

640 x 480	8		60	70	72	75	85	100	120	140	144	150	170	200	240
720 x 480	8		60												
720 x 576	8		50	60											
800 x 600	8		60	70	72	75	85	100	120	140	144	150	170	200	240
848 x 480	8		60	70	72	75	85	100	120	140	144	150	170	200	240
960 x 600	8		60	70	72	75	85	100	120	140	144	150	170	200	240
1024 x 768	8		60	70	72	75	85	100	120	140	144	150	170	200	240
1152 x 864	8		60	70	72	75	85	100	120	140	144	150	170	200	
1280 x 720	8		60	70	72	75	85	100	120	140	144	150	170		
1280 x 768	8		60	70	72	75	85	100	120	140	144	150	170		
1280 x 800	8		60	70	72	75	85	100	120	140	144	150	170		
1280 x 960	8		60	70	72	75	85	100	120	140	144	150	170		
1280 x 1024	8		60	70	72	75	85	100	120	140	144	150	170		
1360 x 768	8		60	70	72	75	85	100	120	140	144	150	170		
1440 x 900	8		60	70	72	75	85	100	120						
1600 x 900	8		60	70	72	75	85	100	120						
1600 x 1200	8		60	70	72	75	85	100	120						
1680 x 1050	8		60												
1920 x 1080	8	30i	60	70	72	75	85	100							
1920 x 1200	8		60	70	72	75	85	100							
1920 x 1440	8		60	70	72	75	85								
2048 x 1536	8		60	70	72	75	85								

---

640 x 480	16		60	70	72	75	85	100	120	140	144	150	170	200	240
720 x 480	16		60												
720 x 576	16		50	60											
800 x 600	16		60	70	72	75	85	100	120	140	144	150	170	200	240
848 x 480	16		60	70	72	75	85	100	120	140	144	150	170	200	240
960 x 600	16		60	70	72	75	85	100	120	140	144	150	170	200	240
1024 x 768	16		60	70	72	75	85	100	120	140	144	150	170	200	240
1152 x 864	16		60	70	72	75	85	100	120	140	144	150	170	200	

1280 x 720	16		60 70 72 75 85 100 120 140 144 150 170
1280 x 768	16		60 70 72 75 85 100 120 140 144 150 170
1280 x 800	16		60 70 72 75 85 100 120 140 144 150 170
1280 x 960	16		60 70 72 75 85 100 120 140 144 150 170
1280 x 1024	16		60 70 72 75 85 100 120 140 144 150 170
1360 x 768	16		60 70 72 75 85 100 120 140 144 150 170
1440 x 900	16		60 70 72 75 85 100 120
1600 x 900	16		60 70 72 75 85 100 120
1600 x 1200	16		60 70 72 75 85 100 120
1680 x 1050	16		60
1920 x 1080	16	30i	60 70 72 75 85 100
1920 x 1200	16		60 70 72 75 85 100
1920 x 1440	16		60 70 72 75 85
2048 x 1536	16		60 70 72 75 85

---

640 x 480	32		60 70 72 75 85 100 120 140 144 150 170 200 240
720 x 480	32		60
720 x 576	32	50	60
800 x 600	32		60 70 72 75 85 100 120 140 144 150 170 200 240
848 x 480	32		60 70 72 75 85 100 120 140 144 150 170 200 240
960 x 600	32		60 70 72 75 85 100 120 140 144 150 170 200 240
1024 x 768	32		60 70 72 75 85 100 120 140 144 150 170 200
1088 x 612	32		60 70 72 75 85 100 120 140 144 150 170 200
1152 x 864	32		60 70 72 75 85 100 120 140 144 150 170 200
1280 x 720	32		60 70 72 75 85 100 120 140 144 150
1280 x 768	32		60 70 72 75 85 100 120 140 144 150
1280 x 800	32		60 70 72 75 85 100 120 140 144 150
1280 x 960	32		60 70 72 75 85 100 120 140 144 150
1280 x 1024	32		60 70 72 75 85 100 120 140 144 150
1360 x 768	32		60 70 72 75 85 100 120 140 144 150
1440 x 900	32		60 70 72 75 85 100 120
1600 x 900	32		60 70 72 75 85 100 120
1600 x 1024	32		60 70 72 75 85 100
1600 x 1200	32		60 70 72 75 85 100
1680 x 1050	32		60
1920 x 1080	32	30i	60 70 72 75 85
1920 x 1200	32		60 70 72 75 85
1920 x 1440	32		60 70 72 75 85
2048 x 1536	32		60 70 72 75 85

### Horizontal Spanning Modes

1280 x 480	8		60 70 72 75 85 100 120 140 144 150 170 200 240
1600 x 600	8		60 70 72 75 85 100 120 140 144 150 170 200 240
1696 x 480	8		60 70 72 75 85 100 120 140 144 150 170 200 240
1920 x 600	8		60 70 72 75 85 100 120 140 144 150 170 200 240
2048 x 768	8		60 70 72 75 85 100 120 140 144 150 170 200 240
2304 x 864	8		60 70 72 75 85 100 120 140 144 150 170 200
2560 x 720	8		60 70 72 75 85 100 120 140 144 150 170
2560 x 768	8		60 70 72 75 85 100 120 140 144 150 170
2560 x 800	8		60 70 72 75 85 100 120 140 144 150 170
2560 x 960	8		60 70 72 75 85 100 120 140 144 150 170
2560 x 1024	8		60 70 72 75 85 100 120 140 144 150 170
2720 x 768	8		60 70 72 75 85 100 120 140 144 150 170
2880 x 900	8		60 70 72 75 85 100 120
3200 x 900	8		60 70 72 75 85 100 120
3200 x 1200	8		60 70 72 75 85 100 120
3360 x 1050	8		60
3840 x 1080	8	30i	60 70 72 75 85 100
3840 x 1200	8		60 70 72 75 85 100
3840 x 1440	8		60 70 72 75 85
4096 x 1536	8		60 70 72 75 85

---

1280 x 480	16		60 70 72 75 85 100 120 140 144 150 170 200 240
1600 x 600	16		60 70 72 75 85 100 120 140 144 150 170 200 240
1696 x 480	16		60 70 72 75 85 100 120 140 144 150 170 200 240
1920 x 600	16		60 70 72 75 85 100 120 140 144 150 170 200 240
2048 x 768	16		60 70 72 75 85 100 120 140 144 150 170 200 240
2304 x 864	16		60 70 72 75 85 100 120 140 144 150 170 200
2560 x 720	16		60 70 72 75 85 100 120 140 144 150 170
2560 x 768	16		60 70 72 75 85 100 120 140 144 150 170
2560 x 800	16		60 70 72 75 85 100 120 140 144 150 170
2560 x 960	16		60 70 72 75 85 100 120 140 144 150 170
2560 x 1024	16		60 70 72 75 85 100 120 140 144 150 170
2720 x 768	16		60 70 72 75 85 100 120 140 144 150 170
2880 x 900	16		60 70 72 75 85 100 120
3200 x 900	16		60 70 72 75 85 100 120
3200 x 1200	16		60 70 72 75 85 100 120

3360 x 1050	16		60
3840 x 1080	16	30i	60 70 72 75 85 100
3840 x 1200	16		60 70 72 75 85 100
3840 x 1440	16		60 70 72 75 85
4096 x 1536	16		60 70 72 75 85
-----			
1280 x 480	32		60 70 72 75 85 100 120 140 144 150 170 200 240
1600 x 600	32		60 70 72 75 85 100 120 140 144 150 170 200 240
1696 x 480	32		60 70 72 75 85 100 120 140 144 150 170 200 240
1920 x 600	32		60 70 72 75 85 100 120 140 144 150 170 200 240
2048 x 768	32		60 70 72 75 85 100 120 140 144 150 170 200
2176 x 612	32		60 70 72 75 85 100 120 140 144 150 170 200
2304 x 864	32		60 70 72 75 85 100 120 140 144 150 170 200
2560 x 720	32		60 70 72 75 85 100 120 140 144 150
2560 x 768	32		60 70 72 75 85 100 120 140 144 150
2560 x 800	32		60 70 72 75 85 100 120 140 144 150
2560 x 960	32		60 70 72 75 85 100 120 140 144 150
2560 x 1024	32		60 70 72 75 85 100 120 140 144 150
2720 x 768	32		60 70 72 75 85 100 120 140 144 150
2880 x 900	32		60 70 72 75 85 100 120
3200 x 900	32		60 70 72 75 85 100 120
3200 x 1024	32		60 70 72 75 85 100
3200 x 1200	32		60 70 72 75 85 100
3360 x 1050	32		60
3840 x 1080	32	30i	60 70 72 75 85
3840 x 1200	32		60 70 72 75 85
3840 x 1440	32		60 70 72 75 85
4096 x 1536	32		60 70 72 75 85

## Vertical Spanning Modes

640 x 960	8		60 70 72 75 85 100 120 140 144 150 170 200 240
800 x 1200	8		60 70 72 75 85 100 120 140 144 150 170 200 240
848 x 960	8		60 70 72 75 85 100 120 140 144 150 170 200 240
960 x 1200	8		60 70 72 75 85 100 120 140 144 150 170 200 240
1024 x 1536	8		60 70 72 75 85 100 120 140 144 150 170 200 240
1152 x 1728	8		60 70 72 75 85 100 120 140 144 150 170 200

APPENDIX A: Mode Support for Windows Default Modes Supported by GPU for Windows

1280 x 1440	8		60 70 72 75 85 100 120 140 144 150 170
1280 x 1536	8		60 70 72 75 85 100 120 140 144 150 170
1280 x 1600	8		60 70 72 75 85 100 120 140 144 150 170
1280 x 1920	8		60 70 72 75 85 100 120 140 144 150 170
1280 x 2048	8		60 70 72 75 85 100 120 140 144 150 170
1360 x 1536	8		60 70 72 75 85 100 120 140 144 150 170
1440 x 1800	8		60 70 72 75 85 100 120
1600 x 1800	8		60 70 72 75 85 100 120
1600 x 2400	8		60 70 72 75 85 100 120
1680 x 2100	8		60
1920 x 2160	8	30i	60 70 72 75 85 100
1920 x 2400	8		60 70 72 75 85 100
1920 x 2880	8		60 70 72 75 85
2048 x 3072	8		60 70 72 75 85
-----			
640 x 960	16		60 70 72 75 85 100 120 140 144 150 170 200 240
800 x 1200	16		60 70 72 75 85 100 120 140 144 150 170 200 240
848 x 960	16		60 70 72 75 85 100 120 140 144 150 170 200 240
960 x 1200	16		60 70 72 75 85 100 120 140 144 150 170 200 240
1024 x 1536	16		60 70 72 75 85 100 120 140 144 150 170 200 240
1152 x 1728	16		60 70 72 75 85 100 120 140 144 150 170 200
1280 x 1440	16		60 70 72 75 85 100 120 140 144 150 170
1280 x 1536	16		60 70 72 75 85 100 120 140 144 150 170
1280 x 1600	16		60 70 72 75 85 100 120 140 144 150 170
1280 x 1920	16		60 70 72 75 85 100 120 140 144 150 170
1280 x 2048	16		60 70 72 75 85 100 120 140 144 150 170
1360 x 1536	16		60 70 72 75 85 100 120 140 144 150 170
1440 x 1800	16		60 70 72 75 85 100 120
1600 x 1800	16		60 70 72 75 85 100 120
1600 x 2400	16		60 70 72 75 85 100 120
1680 x 2100	16		60
1920 x 2160	16	30i	60 70 72 75 85 100
1920 x 2400	16		60 70 72 75 85 100
1920 x 2880	16		60 70 72 75 85
2048 x 3072	16		60 70 72 75 85
-----			
640 x 960	32		60 70 72 75 85 100 120 140 144 150 170 200 240
800 x 1200	32		60 70 72 75 85 100 120 140 144 150 170 200 240
848 x 960	32		60 70 72 75 85 100 120 140 144 150 170 200 240

960 x 1200	32		60 70 72 75 85 100 120 140 144 150 170 200 240
1024 x 1536	32		60 70 72 75 85 100 120 140 144 150 170 200
1088 x 1224	32		60 70 72 75 85 100 120 140 144 150 170 200
1152 x 1728	32		60 70 72 75 85 100 120 140 144 150 170 200
1280 x 1440	32		60 70 72 75 85 100 120 140 144 150
1280 x 1536	32		60 70 72 75 85 100 120 140 144 150
1280 x 1600	32		60 70 72 75 85 100 120 140 144 150
1280 x 1920	32		60 70 72 75 85 100 120 140 144 150
1280 x 2048	32		60 70 72 75 85 100 120 140 144 150
1360 x 1536	32		60 70 72 75 85 100 120 140 144 150
1440 x 1800	32		60 70 72 75 85 100 120
1600 x 1800	32		60 70 72 75 85 100 120
1600 x 2048	32		60 70 72 75 85 100
1600 x 2400	32		60 70 72 75 85 100
1680 x 2100	32		60
1920 x 2160	32	30i	60 70 72 75 85
1920 x 2400	32		60 70 72 75 85
1920 x 2880	32		60 70 72 75 85
2048 x 3072	32		60 70 72 75 85

## Modes Supported by TV Encoders

---

Table A.3 and Table A.4 list the NTSC, PAL, and HDTV TV-Out modes supported by the NVIDIA driver.

**Table A.3** Mode Support for S-Video and Composite Out

Resolution	Bit depth	Comments
320x200	8, 16, 32	DirectDraw mode; not selectable as a Windows desktop
320x240	8, 16, 32	DirectDraw mode; not selectable as a Windows desktop
640x400	8, 16, 32	DirectDraw mode; not selectable as a Windows desktop
640x480	8, 16, 32	
720x480	8, 16, 32	Overscans (for video)
720x576	8, 16, 32	Overscans (for video)
800x600	8, 16, 32	
1024x768	8, 16, 32	Conexant 25871 only

**Table A.4** Mode Support for Component YPrPb Out and DVI Out

Resolution	Comments
480i (SDTV)	Supported on graphics boards with Conexant 875 or Philips 7108 TV encoders and compatible connectors, and compatible GeForce 6 Series and GeForce 7 Series GPUs.
480p (EDTV)	
720p (HDTV)	
1080i (HDTV)	
576i (PAL)	
576p (PAL)	

The driver supports manual overscan correction for component and DVI outputs. See the *ForceWare Graphics Driver User's Guide* for instructions on how to use the overscan correction features in the control panel.